

## CMP 150<sup>™</sup> SERIES

High Frequency X-Ray Generator

Leading Technologies. Powered by







Leading technologies have been powered by CPI performance and reliability reaching back to 1948. Through ongoing product development, support and customer service, CPI leads the field globally in innovation, providing advanced features, integration, flexibility and customization.


The CMP 150<sup>™</sup> High Frequency X-Ray Generator Series continues CPI's history of innovation by providing a cost effective solution for the medical and veterinary markets that is unmatched in value and reliability.





- Cost effective for medical and veterinary applications
- Universal single phase mains input power
- Digital Radiography ready
- Capacitor energy storage to assist power delivery

## PERFORMANCE

- 32 kW peak power, 22 kW average (IEC) power
- Mains input power ranging from 100 to 240 VAC and 15 amperes
- kV-mAs technique up to 125 kV and 500 mAs
- Advanced Capacitive Discharge operation to maximize energy usage and extend mAs techniques
- Power Factor Correction for fast and efficient recharging of energy storage capacitors
- Selectable Bucky-Potter power (24 VDC / 2 A or 110 VAC or 220 VAC / 0.8 A)
- Compatible with over 100 x-ray tube models









Registered Trademarks are U.S. Registered Trademarks of Communications & Power Industries Canada Inc.

## GLOBAL SUPPORT 24/7

+1-905-877-0161 or 1-888-CPI-XRAY (274-9729) www.cpii.com/cmp



Communications & Power Industries Canada Inc. communications & medical products division 45 River Drive / Georgetown, Ontario / Canada L7G 2J4 Hot Line Telephone: 1-888-CPI-XRAY TEL: 905-877-0161 / FAX: 905-877-5327 EMAIL: CANmarketing@cpii.com www.cpii.com/cmp