Great Flexibility at every turn

GF85



Great Flexibility at every turn

GF85

Introducing the new floor-mounted digital radiography system, GF85, designed with workflow efficiency in mind. Mirroring the innovative core technology of Samsung's premium DR line-up, it offers outstanding ease of use, reliable performance and durability.

STREAMLINE
WITHOUT COMPROMISE


DIAGNOSTIC CONFIDENCE

EXPAND
PREMIUM EXPERIENCE



The all-new floor-mounted system is here. It's ready to revolutionize your workflow.

STREAMLINE WITHOUT COMPROMISE



STREAMLINE WITHOUT COMPROMISE


Auto-positioning

Auto-positioning allows the system to move to preprogrammed exam positions with a single click. This feature provides effortless control and simplifies daily routines.




Auto-centering[†]

For a seamless workflow, Auto-centering automatically aligns the tube head unit to the center of the detector at either the table or wall stand



Auto-tracking[†]

Auto-tracking automatically synchronizes the movement of the tube and detector to reduce repetitive tasks.



Shared Bucky™

Shared Bucky™ is designed for sharing two sizes of detectors in one bucky tray in the table. (F4335-AW, S4335-AW, S4343-AW)









Exhaustive Quality Control

A lot of test categories are performed to find and analyze any defects that may affect the system. We conduct internal tests comparable to international testing standards such as MIL-STD, ASTM, IEC, and etc.




Reliability test

Samsung systems undergo strict reliability and durability tests to provide consistent imaging quality and performance.



Life span management

Based on the user scenario, the tests are divided into electronic and mechanical aspects to carefully perform component stress assessment and operational endurance testing.



STREAMLINE WITHOUT COMPROMISE





Glass-Free Detector

The AccE Glass-Free Detector offers a more comfortable imaging experience. It is designed to relieve user fatigue by replacing a glass-based substrate with a lightweight, non-glass flexible panel. This glass-free technology not only makes it 27% lighter⁺, but also does not compromise the image quality with high DQE (76% @0lp/mm).



Reliable in Versatile Environment

Impressive load allowance along with dust and water resistance enables the detector to be actively implemented in versatile environments. The robust design allows for the reduction in user concern when performing exams in an OR and ER setting.







200 kg (441 lbs) Point load¹

Enhance Your Daily Workflow

The user-centric design aids in efficiency and portability, alleviating daily burdens.



Manage Your Detector Wisely

Continuous status tracking of the detector will enhance user confidence and improve the system's uptime. Features such as real-time shock sensing and detector auto correction will allow the detector to be in shape for use and help you respond quickly to critical detector shocks.



Real-time Shock Sensing

Voice Guide*

For radiologic technologists, it can be a burden to repeat the same comments to each patient, such as breath in/hold, do not move, etc. With exposure switch or hotkey control (F1~F8), you can conveniently deliver pre-recorded comments and it also helps to alleviate language barriers with foreign-language speaking patients.



Virtual Remote Controller*

With the virtual controller, users can control the tube head unit or table through the screen in the control room. There is no need to spend time looking for a remote control.



[‡] Measured without battery set

DIAGNOSTIC CONFIDENCE



S-VueTM

S-Vue™ image processing engine provides excellent, high resolution images for diagnostic accuracy and confidence. Its anatomy adaptive enhancing and noise reduction technologies offer outstanding sharpness and readability.



Consistent Image Quality



Enhanced Anatomical Clarity





The image was taken with GM85.

Case 2. Abdomen



Case 3. L-spine

These images were taken with GC85A.

Case 4. Pelvis (Halo artifact)



The image was taken with GC85A.

The upgraded S-Vue™ displays areas with varying bone density clearly, regardless of the patient's size or body region through advanced region-specialized processing.





S-Vue™ not only provides excellence in image quality, but also secures better patient safety in radiography examinations. This can help change the patient's perspectives for X-ray radiation and improve patient satisfaction.

15%



Case. Pediatric Chest PA





Precise dose management features

* Optional feature requiring additional purchase



Automatically optimized dose controls prevent excessive radiation exposure and provide precise dose control for patients.

- 6-stage Pediatric Exposure Management according to weight
- Bariatric Exposure Management* (X-Large/2X-Large)
- Automatic filter with APR
- Individual blade control





radiography for average adults and pediatric abdominal, chest, skull radiography were studied, excluding pediatric patients under 1 month old. (FDA cleared - K172229, K180543, K182183) In practice, the values of dose reduction may vary accordingly. These clinical images calculates the clinical site is responsible for determining whether the particular radiographic imaging needs are not impacted by such x-ray dose reduction.

DIAGNOSTIC CONFIDENCE





SimGrid^{TM*}

With just a click, SimGrid™ allows you to provide better patient care with higher satisfaction and reduced retake rates without the use of a portable grid. It improves image contrast by reducing scatter radiation effects and creates better image quality. The 3-step intensity control (Low/Medium/High) enables customized image processing.

Case. Chest AP

Images were taken with GM85.







S-Enhance*

To support your diagnosis, S-Enhance improves the clarity of foreign bodies (e.g. tube, line and/or needle) in images of chest, abdomen, and L-spine. With a single on-screen click, the companion image is created without additional settings or x-ray exposure, streamlining the workflow.

Case. Chest AP

Images were taken with GM85.








Bone Suppression*


Without additional setting or exposure, Bone Suppression imaging improves the clarity of soft tissues by suppressing the appearance of bones in chest images, which enhances your ability to detect nodules. You can easily create the companion image with just a click on the screen.

Case. Chest PA

Images were taken with GC85A.







CXR Assist*

CXR Assist with Lunit INSIGHT CXR Triage (FDA cleared K211733) analyzes adult chest X ray images for the presence of pre specified suspected critical findings (Pleural effusion and/or Pneumothorax). Seamlessly connected to the PACS workstation, this feature prioritizes exams for the radiologists, enabling timely treatment of critical or urgent patients and improving overall efficiency.

Al Results		ID	Age	Time
Pef	Ptx			
•		18291CCEE	18	10:50 AM
		23075CCEE	63	12:15 PM
		29110CCEE	26	10:12 AM
		31291CCEE	33	10:21 AM
		11007CCEE	43	10:36 AM



S-Station/PACS Worklist Prioritization

This PACS worklist is intended to help healthcare professionals understand the functions of this product.
Please note that this worklist may differ from the actual product.

EXPAND PREMIUM EXPERIENCE

Samsung Platform

Our reliability and stable services are the result of continuous upgrades based on extensive customer feedback. Experience an integrated DR solution for efficient and successful hospital operations.

Intuitive UI/UX · SMART Center · S-Share™ · Cybersecurity · QAP · Value care service



Standardized management with SMART Center*

S-Share™

S-Share™ can dramatically increase efficiency through the use of AccE Glass-Free Detector, AccE Detector, and AccE Standard Detector with various existing compatible equipment. It enables accelerating connection for better synergy of Samsung DR systems.



Samsung DR Cybersecurity



Samsung's Defense-in-depth

· Designed holistic protection for your critical assets with multi-layered security controls: physical, operating system hardening, network, access control, application, and data layers

World-class Management System

- · Received independent certification including ISO/IEC27001, SO/IEC27701
- · Comply with Risk Management Framework (RMF) according to NIST SP 800-53

QAP*

QAP (Quality Assurance Program) assures consistent imaging performance in a precise and cost-effective way. It enables comprehensive system management by automatic periodic test measuring multiple parameters such as source performance, AEC accuracy, geometry accuracy, and detector performance with image quality.



Value care service



Remote Software Update

Keep the software up to date without service requests. The latest version of the software is notified for users to download and update.



Remote Maintenance System

This RMS continuously monitors any system errors and automatically identifies the system and software version.



24/7 call center

Our customer support center operates 24 hours per day, 365 days a year to quickly respond to any questions or problems you may have.



Service offering

Samsung provides tailored service and support programs to meet your unique requirements.

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies.

The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

GF85 Catalog v1.0-241113-FDA



Scan code or visit www.samsunghealthcare.com to learn more

Copyright © 2024 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged. Samsung Electronics Co., Ltd.

129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Republic of Korea

